

• AMPHIBIOUS • ALL SEASON • ALL TERRAIN • SIX PASSENGERS



SINCE 1967



2015  
Personal Utility Vehicles

EXTREME TERRAIN VEHICLE SOLUTIONS



**ARGO 6x6**  
Frontier 580

**ARGO 8x8**  
Frontier EFI

**ARGO 8x8**  
750HDi

**ARGO 8x8**  
XT Models

## ARGO is built to outperform in extreme, challenging terrains.

ARGO is dedicated to freedom and independence. Begin your next adventure with the amphibious, all season, all-wheel drive, off-road ARGO. Go wherever your dreams lead you – through virtually any terrain, over hills, water, ice and snow. Unsurpassed in versatility and reliability, the ARGO carries you, your friends and supplies to those far away and remote locations. With ARGO, go ahead and dare to dream.



**NEW**  
NEW ARGO 8x8 FRONTIER EFI.



**NEW**  
NEW ARGO 8x8 trailer for hauling material or transporting additional equipment.



**NEW**  
NEW Sure Grip Gun Rack.



**NEW**  
NEW 3500 lb. winch for increased performance.



**NEW**  
NEW Universal Mounting System to easily install sprayers, tanks and other equipment.



**NEW**  
NEW ARGO Roof provides protection against the elements and greater operator comfort. (mounts onto ARGO ROPS)

Optional Extras: Chain lubrication system to reduce maintenance. High torque transmission for better performance in extreme terrains.

# Fishing, waterfowl and hunting enthusiasts agree... ARGO is the best way to go!

## Fully Amphibious without Vehicle Preparation

ARGO vehicles are designed to float on bodies of water and flooded areas allowing transport for up to 4 passengers or a total load capacity of 1,000 lb. (454 kg). The specially designed tires propel the ARGO at a speed of 3 mph (5 kph).

## Designed for Those Who Truly Appreciate the Outdoors


The ARGO is your essential off-road vehicle for hunting and exploration. The ARGO combines many of the advantages you get from a snowmobile, 4x4 ATV, 6x6 UTV and a small boat. Take your friends and all the equipment you need to track the best game. You'll still have plenty of space to take home whatever you bag.

## Stability

The lightweight design provides safe operation in challenging terrain and allows 9" (225 mm) of ground clearance at the center of the vehicle. The specified load capacity of ARGO models is maintained in most off-road applications while the load capacity of UTV and other vehicles often is considerably reduced to allow for safe operation in challenging terrain.

## Driver Operation and Control

Specific ARGO models feature a technologically advanced, direct drive triple differential ADMIRAL steering transmission, feeding even torque to all 8 of the big 25" (635 mm) ARGO tires. Operating in high range, these superior extreme terrain vehicles steer smoothly through challenging terrain. In low range, the ARGO can turn within its own length with minimal effort, allowing for extremely tight turns.\* The ARGO has excellent approach and departure angles to easily overcome obstacles.



## Safety

The low center of gravity and all-wheel drive provide sure-footed traction and maneuverability through demanding weather and terrain conditions. ARGO models are equipped with a standard emergency/parking brake and a skid plate for lower body protection is available as a standard or optional feature.

ARGO models can be equipped with an optional rollover protective structure (ROPS) with integral driver / passenger seat belts and optional windshield.

### Safety! ...always in Season!

Seat belts must be worn by all occupants if a ROPS is installed however, they must be unfastened before water entry. For safety, we recommend wearing approved helmets and eye protection. When operating in water, always wear approved Personal Floatation Devices. Always remain seated while in the ARGO.



**ENVIRONMENTAL IMPACT:** From the unique tread pattern of the tires to the low ground pressure, every ARGO model is designed to minimize its environmental footprint.



ARGO vehicles go from land to water without vehicle preparation!



The all season, all terrain ARGO provides safe transport across ice and snow.



Jim and Eva Shockey - world renowned hunters rely on ARGO vehicles. [www.jimshockey.com](http://www.jimshockey.com)



ARGO vehicles operate in deep snow and offer space for 4-6 passengers plus gear.



## ARGO gets the work done around your home, cottage, farm or woodlot.

The rugged ARGO can tow, carry a load, and allows you to work in areas and terrain that are inaccessible. The ARGO is the perfect multi-passenger vehicle for wilderness exploration, scenic tours, photo safaris and everything in-between. Outfitters, lodges and ecotour operators can offer their customers a unique and reliable outdoor experience. The ARGO is also a proven performer for Public Sector, Utilities and Resource Management.



Tour operators, hunt clubs and outfitters use the reliable ARGO to go where others can't follow.



An ARGO equipped with a plow can be used to clear snow and perform additional tasks around the farm.



Property owners and hobby farmers enjoy the ARGO all year round - and the ARGO can pull a trailer weighing up to 2,000 lb.



The all terrain ARGO 8x8 transports personnel and equipment to remote accident sites and can evacuate the injured.



The ARGO can safely cross ponds or small streams with up to 4 passengers.



The ARGO provides safe and economical transportation for personnel and equipment.

# Argo 8x8 750 HDi

This 8-wheel drive amphibious off-road vehicle is powered by a 4-stroke OHV V-Twin liquid cooled 748cc, 30 hp (22 kW) Kohler Aegis LH 775 engine with electronic fuel injection. It has a load capacity of up to 1,150 lb. (521 kg) on land or 1,000 lb. (454 kg) on water, can transport 6 passengers on land, 4 on water and features a towing capacity of 1,800 lb. (817 kg).

Optional suspension seats available

## Overview

The ultimate machine for those who don't like compromise solutions! This ARGO has it all – a powerful yet quiet, liquid cooled, fuel injected engine, efficient ADMIRAL steering transmission and large 25" (635 mm) wheels combine to give this machine great top speed handling and best-in-class extreme terrain capability while carrying its full payload. It is equally well-suited for hard work and hard play.

## Features


- Innovative triple-differential ADMIRAL transmission with independent steering brakes
- Optional high torque transmission for extreme terrain performance
- Increased steering efficiency for more and constant power to the wheels
- Electronic Fuel Injection provides:
  - Increased fuel efficiency
  - Reliable cold weather starting
  - Improved high altitude performance
  - On-board diagnostics
- Large rear cargo capacity
- Long wheel base for increased ride comfort over rough terrain
- Large triple-sealed outer axle bearings
- Front and rear bearing extensions
- 8-wheel traction with low centre of gravity for extra stability
- Electronic ignition
- Self-adjusting hydraulic brakes with vented discs
- Low emissions



25" (635 mm) ARGO tires with proprietary tread design

Optional entry step available

Full skid plate for lower body protection



Convenience Group

Handlebar steering

Hydraulic brakes

Spacious design

# Argo 8x8 750 HDi



This Special Edition 8-wheel drive amphibious off-road vehicle is powered by a 4-stroke OHV V-Twin liquid cooled 748cc, 30 hp (22 kW) Kohler Aegis LH775 engine with fuel injection. It has a load capacity of up to 1,000 lb. (454 kg) on land or 850 lb. (386 kg) on water, can transport 6 passengers on land, 4 on water and features a towing capacity of 1,800 lb. (817 kg).

## Overview

This top-of-the-line extreme terrain vehicle features a powerful yet quiet, liquid cooled, fuel injected engine, efficient ADMIRAL steering transmission and large 25" ARGO wheels. This exciting machine easily navigates in thick mud, flooded areas or water while carrying or hauling all the equipment and gear you need.

## Special Features

- 3-way adjustable suspension seating with rear grab handles
- High / low beam headlights
- Front-mounted horn
- 7-pin electrical trailer connection
- Entry step
- Signal / side marker lamps
- Side view mirror
- Heavy duty alternator
- Optional seat belts



**NEW**

\*This vehicle is also available as ARGO 8x8 750 HDi EU featuring road approval in Europe. Comes with a front hitch mount.

For all vehicle configurations, rubber tracks are available for better traction in soft terrain or snow.

# Argo 8x8 750 EFI


This 8-wheel drive amphibious off-road vehicle is powered by a 4-stroke OHV V-Twin liquid cooled 748cc, 30 hp (22 kW) Kohler Aegis LH 775 engine with electronic fuel injection. It has a load capacity of up to 1,150 lb. (521 kg) on land or 1,000 lb. (454 kg) on water, can transport 6 passengers on land, 4 on water and features a towing capacity of 1,800 lb. (817 kg).

## Overview

Great multipurpose vehicle for hunting, personal utility use and commercial applications. The large 25" (635 mm) wheels will take a full load over rocks and stumps with ease while providing extra stability and floatation in water. The powerful 30 hp (22 kW) liquid cooled engine will pull even the heaviest game out of the bush, or carry equipment and gear. The engine starts at the turn of the key, even on the coldest morning, thanks to the electronic fuel injection.

## Features

- Electronic Fuel Injection provides:
  - Better fuel economy
  - Reliable cold weather starting
  - Improved high altitude performance
  - On-board diagnostics
- Large rear cargo capacity
- Long wheel base for better ride comfort over rough terrain
- Large triple-sealed outer axle bearings
- Front and rear bearing extensions
- 8-wheel traction with low centre of gravity for extra stability
- Proven, state-of-the-art automatic continuously variable transmission with high and low range forward and reverse
- Optional high torque transmission for extreme terrain performance
- Electronic ignition
- Self-adjusting hydraulic brakes with vented discs
- Low emissions



## ARGO Limited Warranty

One year for vehicles, 3 years for Kohler engines and 2 years for Briggs & Stratton engines. Extended warranty plans available. Visit [www.ARGOutv.com/warranty](http://www.ARGOutv.com/warranty) for details.



25" (635 mm) ARGO tires with proprietary tread design shown with optional rubber tracks

# Argo 8x8 700 HD



This 8-wheel drive amphibious off-road vehicle is powered by a 4-stroke OHV V-Twin liquid cooled 674cc, 24 hp (17 kW) Kohler Aegis LH 690 engine. It has a load capacity of up to 1,150 lb. (521 kg) on land or 1,000 lb. (454 kg) on water, can transport 6 passengers on land, 4 on water and features a towing capacity of 1,800 lb. (817 kg).

## Overview

The quiet and smooth liquid cooled engine in combination with the efficient ADMIRAL steering transmission make this machine a joy to drive. It is easy to control running at top speed on a gravel road yet it can haul big loads through extreme terrain and water.

## Features

- Innovative triple-differential ADMIRAL transmission with independent steering brakes
- Increased steering efficiency for more and constant power to the wheels
- Optional high torque transmission for extreme terrain performance
- Optional suspension seats
- Increased steering efficiency for more and constant power to the wheels
- Large rear cargo capacity
- Long wheel base for increased ride comfort over rough terrain
- Large triple-sealed outer axle bearings
- Front and rear bearing extensions
- 8-wheel traction with low centre of gravity for extra stability
- Electronic ignition
- Self-adjusting hydraulic brakes with vented discs
- Low emissions

**NEW**

\*This vehicle is also available as ARGO 8x8 700 HD EU featuring road approval in Europe.

For all vehicle configurations, rubber tracks are available for better traction in soft terrain or snow.

# Argo 8x8 Frontier EFI

**NEW**


This 8-wheel drive amphibious off-road vehicle is powered by a 4-stroke OHV V-Twin air cooled 747cc, 23 hp (17 kW) Kohler Command Pro engine with electronic fuel injection. It has a load capacity of up to 1,000 lb. (454 kg) on land or 900 lb. (408 kg) on water, can transport 6 passengers on land, 4 on water and features a towing capacity of 1,400 lb. (635 kg).

### Overview

The most affordable ARGO 8x8 vehicle features great performance in difficult terrain and has excellent water crossing capabilities. Great load carrying capacity and powerful towing capabilities at an attractive price.

### Features

- Electronic Fuel Injection provides:
  - Better fuel economy
  - Reliable cold weather starting
  - Improved high altitude performance
  - On-board diagnostics
- Large rear cargo capacity
- Long wheel base for smooth ride comfort over rough terrain
- Large triple-sealed outer axle bearings
- Front bearing extensions
- 8-wheel traction with low centre of gravity for extra stability
- Electronic ignition
- Proven, state-of-the-art automatic continuously variable transmission with high and low range forward and reverse
- Self-adjusting hydraulic brakes with vented discs
- Low emissions



Convenience Group      Handlebar steering



Spacious design

## Argo 8x8 XT Models

These 8-wheel drive amphibious off-road vehicles feature Kohler diesel or EFI engines plus ODG patented, triple differential, ADMIRAL transmissions. The main chassis of these vehicles has been engineered using field-proven technology, allowing for increased payloads and greater durability.

For complete information on the ARGO 8x8 XT Models visit our Web site at:  
[www.ARGOutv.com/catalog/XT-models](http://www.ARGOutv.com/catalog/XT-models)



When equipped with tracks, XT models are not fully amphibious, however water crossing is possible with a fording depth of 26" (660 mm).



**ENVIRONMENTAL IMPACT:** From the unique tread pattern of the tires to the low ground pressure, every ARGO model is designed to minimize its environmental footprint.

For all vehicle configurations, rubber tracks are available for better traction in soft terrain or snow.

Appearance and specifications subject to change without notice. Vehicles shown with optional accessories. See specification page and ARGOutv.com for more details.



## Argo 6x6 650 HD


This 6-wheel drive amphibious off-road vehicle is powered by a 4 stroke OHV V-Twin air cooled 627cc, 23 hp (17 kW) Briggs & Stratton "Cooler Cleaner" engine. It has a load capacity of up to 700 lb. (317 kg) on land or 500 lb. (227 kg) on water, can transport 4 passengers on land, 2 on water and features a towing capacity of 1,400 lb. (635 kg). Rear seat weight restriction of 140 lb. (63 kg) applies.

### Overview

Powerful top-of-the-line ARGO 6x6 extreme terrain vehicle for challenging terrain, deep mud, flooded areas and snow. For even better performance rubber tracks are available. State-of-the-art triple differential steering transmission provides a smooth ride, easy turns and quick response to overcome obstacles when it counts. Best in category towing capacity allows you to transport all the gear you need.

### Features

- Innovative triple-differential ADMIRAL transmission with independent steering brakes
- Increased steering efficiency for more and constant power to the wheels
- Large triple-sealed outer axle bearings
- Front and rear bearing extensions
- Full skid plate for lower body protection
- 6-wheel traction with low centre of gravity for extra stability
- Electronic ignition and back-up recoil starter
- Self-adjusting hydraulic brakes with vented discs
- Low emissions



## Argo 6x6 Frontier 580

This 6-wheel drive amphibious off-road vehicle is powered by a 4-stroke OHV V-Twin air cooled 570cc, 18 hp (13 kW) Briggs & Stratton engine. It has a load capacity of up to 700 lb. (317 kg) on land or 500 lb. (227 kg) on water, can transport 4 passengers on land, 2 on water and features a towing capacity of 1,400 lb. (635 kg). Rear seat weight restriction of 140 lb. (63 kg) applies.

### Overview

Our most affordable 6x6 vehicle features great performance in difficult terrain and water crossing capabilities. Ideal for fishing, hunting and family fun. Seats up to 4 passengers. The ARGO 6x6 Frontier 580 is our best value extreme terrain vehicle.

### Features

- 6-wheel traction with low center of gravity for extra stability
- Proven, state-of-the-art automatic continuously variable transmission with high and low range forward and reverse
- Electronic ignition and back-up recoil starter
- Self-adjusting hydraulic brakes with vented discs
- Low emissions



ARGO 6X6 FRONTIER 580 shown with optional chrome paint steel parts

For all vehicle configurations, rubber tracks are available for better traction in soft terrain or snow.

## World Leader In Amphibious Vehicles

ARGO is the best selling all season, off-road amphibian in the world! No other vehicle satisfies so many needs. Hunters, outdoor enthusiasts, property owners, farmers, search & rescue teams, utility and exploration companies all benefit from ARGO's versatile and unique abilities. ARGO goes where others can't follow!

## Proven Track Record

ARGO vehicles are manufactured by ODG in New Hamburg, Ontario, Canada at ODG's 121,500 sq.ft. (11,350m<sup>2</sup>) facility. Since 1962, ODG has been an innovative manufacturer of gears and transmissions, amphibious extreme terrain vehicles, and rovers for future lunar exploration. ODG introduced the world famous amphibious ARGO in 1967 and has sold more than 50,000 vehicles around the globe. Our dedicated team of engineers, production and technical support staff has made ARGO the most reliable, amphibious, off-road, utility vehicle you will ever drive.

## Solid Investment


The all season capabilities of ARGO models provide optimized utilization resulting in fast payback on your investment. Proper operation and adherence to a scheduled maintenance program will ensure maximum uptime and usage for years to come.



Sitting back and trolling for walleye!



Enjoy year round access to your cabin, cottage or chalet!



## ARGO DVDs

All DVDs contain brochures in PDF format.

### ARGO Personal Utility Vehicle DVD **678-143**

Includes the following ARGO videos: Models - 8x8 750 HDi, 8x8 700 HD, 8x8 Frontier EFI, 6x6 650 HD and 6x6 Frontier 580. Applications and capabilities as well as ARGO Rubicon Trail Challenge, ARGO Adventures, and Chile Volcano Expedition.

### ARGO Hunting DVD **678-144**

Experience the ultimate hunting vehicle: Models - 8x8 XT Models, 8x8 750 HDi, 8x8 700 HD, 8x8 Frontier EFI, 6x6 650 HD and 6x6 Frontier 580, ARGO Hunting with Jim Shockey, Alan Warren, The Outdoor Quest, Southern and Outdoor Experience.

### ARGO Commercial DVD **678-145**

ARGO and Centaur at Work including detailed model information on ARGO 8x8 XT Models, 8x8 750 HDi, 8x8 700 HD, 8x8 Frontier EFI and 8x8 Centaur. Applications and capabilities.

### ARGO Tri-lingual DVD **678-115**

Experience extreme off-road performance with ARGO and Centaur. Contains ARGO 8x8 750 HDi, model overview, applications and capabilities in English, French and Spanish.

Availability and content subject to change without notice.

For more information on all ARGO promotional items ask your local dealer or visit [www.ARGOutv.com](http://www.ARGOutv.com)

## ARGO Clothing and Collectible:

Order online at [www.ARGOGear.com](http://www.ARGOGear.com)



ARGO takes you and your friends deep into the backcountry.



Where we proudly build the ARGO.



Tracks add greater maneuverability in difficult and varied terrain. [www.argoutv.com/catalog/tracks](http://www.argoutv.com/catalog/tracks)



Maximize the utilization of your ARGO with a snow plow and trailer.



For greater speed on water add an outboard bracket and up to 9.9 hp motor.



A bedliner will protect your ARGO and facilitate transportation of equipment and tools



An ARGO equipped with search and rescue solutions can reach and evacuate injured in remote terrain.

| ACCESSORIES                               | 6 X 6                        |            | 8 X 8        |             |                 |            |
|---|------------------------------|------------|--------------|-------------|-----------------|------------|
|   | FRONTIER 580                 | 650 HD     | FRONTIER EFI | 700 HD      | 750 EFI 750 HDi | 750 HDi SE |
| <b>COMFORT</b>                            |                              |            |              |             |                 |            |
| Convertible Top                           | 649-51                       | 649-51     | 849-51       | 849-40      | 849-40          | 849-40     |
| Convertible Half-Top                      | N/A                          | N/A        | N/A          | 849-45      | 849-45          | 849-45     |
| Heater                                    | N/A                          | N/A        | N/A          | 848-170     | 848-170         | 848-170    |
| Rear Bench Seat                           | N/A                          | N/A        | 849-80       | 849-80      | 849-80          | 849-80     |
| Suspension Seats                          | N/A                          | N/A        | N/A          | *           | *               | Included   |
| Windshield                                | 648-79                       | 648-79     | 648-79       | 848-171     | 848-171         | 848-171    |
| Windshield Wiper                          | 648-91                       | 648-91     | 648-91       | 648-91      | 648-91          | 648-91     |
| <b>CONVENIENCE</b>                        |                              |            |              |             |                 |            |
| Alternator                                | N/A                          | N/A        | N/A          | 850-54      | 850-54          | Included   |
| Auto Chain Lubrication System             | 850-213HD6                   | 850-213HD6 | N/A          | 850-213     | 850-213         | 850-213    |
| Cargo Tie Down Rings                      | 614-06                       | 614-06     | 614-06       | 614-06      | 614-06          | 614-06     |
| Entry Step                                | N/A                          | N/A        | 848-173      | 848-173     | 848-173         | Included   |
| Gas Can Holder                            | 867-01                       | 867-01     | 867-01       | 867-01      | 867-01          | 867-01     |
| Gun Rack (Sure Grip)                      | 848-200                      | 848-200    | 848-200      | 848-200     | 848-200         | 848-200    |
| Handrails                                 | 639-26                       | 639-26     | 839-35       | 839-30      | 839-30          | 839-30     |
| Helicopter Lift Kit**                     | 865-00                       | 865-00     | 865-00       | 865-00      | 865-00          | 865-00     |
| Mounting Assembly (Brushguard/Winch)      | 622-107                      | 622-107    | 622-108      | 622-108     | 622-108         | Included   |
| Outboard Motor Bracket                    | 617-09                       | 617-09     | 617-10       | 617-10      | 617-10          | 617-10     |
| Power Winch                               | 622-143                      | 622-143    | 622-142      | 622-142     | 622-142         | 622-105SE  |
| Receiver Winch (Wiring & Rear Hitch)      | 622-96                       | 622-96     | 622-96       | 622-96      | 622-96          | 622-96     |
| Remote Control (Winch)                    | 622-137                      | 622-137    | 622-137      | 622-137     | 622-137         | 622-137    |
| Snow Plow Kit                             | 657-21***                    | 657-21     | 657-21       | 657-21      | 657-21          | 657-21     |
| Tire Holder                               | 868-01                       | 868-01     | 868-01       | 868-01      | 868-01          | 868-01     |
| Tow Hook                                  | 642-00                       | 642-00     | 642-00       | 642-00      | 642-00          | Included   |
| Trailer                                   | CONTACT RETAILER FOR OPTIONS |            |              |             |                 |            |
| Universal Mounting System                 | N/A                          | N/A        | 959-10       | 959-10      | 959-10          | 959-10     |
| Utility Bracket                           | 821-25                       | 821-25     | 821-25       | 821-25      | 821-25          | N/A        |
| Utility Rack                              | 821-35                       | 821-35     | 821-35       | 821-35      | 821-35          | N/A        |
| Utility Storage Pouch                     | 621-35                       | 621-35     | 621-35       | 621-35      | 621-35          | 621-35     |
| <b>PROTECTION</b>                         |                              |            |              |             |                 |            |
| Battery Shut Off                          | 850-242                      | 850-242    | 850-242      | 850-242     | 850-242         | 850-242    |
| Bilge Pump                                | 638-40                       | 638-40     | 638-40       | 638-40      | 638-40          | 638-40     |
| Brake Cooling Fan                         | 602-75                       | N/A        | 602-75       | 864-01      | 864-01          | 864-01     |
| Brake / Tail Lights                       | 624-10                       | 624-26     | 624-10       | 624-26      | 624-26          | Included   |
| Brushguard                                | 642-50                       | 642-50     | 642-50       | 642-49      | 642-49          | Included   |
| Brushguard for ROPS                       | 642-80                       | 642-80     | 642-80       | 642-80      | 642-80          | N/A        |
| Cargo Bedliner                            | N/A                          | N/A        | 866-01       | 866-01      | 866-01          | N/A        |
| Debris Screen                             | N/A                          | N/A        | N/A          | 848-195     | 848-195         | 848-195    |
| Fog Lights                                | 648-92                       | 648-92     | 648-92       | 648-92      | 648-92          | 648-92     |
| Hood Fan                                  | 602-75                       | 602-75     | 602-75       | 602-71      | 602-71          | 602-71     |
| Mudflap                                   | N/A                          | N/A        | 625-10       | 625-10      | 625-10          | 625-10     |
| Reverse Back-up Alarm Kit                 | 850-99                       | 850-99     | 850-99       | 850-99      | 850-99          | 850-99     |
| Roll Bar                                  | 648-15                       | 648-15     | N/A          | N/A         | N/A             | N/A        |
| Roll Bar Lights                           | 648-90                       | 648-90     | N/A          | N/A         | N/A             | N/A        |
| Roof                                      | N/A                          | N/A        | 863-26       | 863-26      | 863-26          | 863-26     |
| ROPS c/w 2 Seat Belts                     | 648-47                       | 648-47     | 849-90-2     | 849-90-2    | 849-90-2        | N/A        |
| ROPS & Rear Bench Seat                    | N/A                          | N/A        | 849-90-4     | 849-90-4    | 849-90-4        | N/A        |
| Skid Plate                                | 663-12                       | Included   | 863-13       | Included    | Included        | Included   |
| Storage Cover                             | 621-21                       | 621-21     | 821-40       | 821-40      | 821-40          | 821-40     |
| <b>TRACKS</b>                             |                              |            |              |             |                 |            |
| 18" (457 mm) Rubber Tracks                | 625-50                       | 625-50     | 825-50-1     | 825-50-1    | 825-50-1        | 825-50-1   |
| 13" (330 mm) Standard Tracks****          | 615-43                       | 615-43     | 815-42K      | 815-42K     | 815-42K         | 815-42K    |
| 18" (457 mm) Super Tracks****             | 625-43                       | 625-43     | 825-42K      | 825-42K     | 825-42K         | 825-42K    |
| Super Track Ice Cleats                    | 625-20                       | 625-20     | 825-20       | 825-20      | 825-20          | 825-20     |
| Rubber Track Ice Cleats                   | N/A                          | N/A        | 825-21       | 825-21      | 825-21          | 825-21     |
| <b>SEARCH &amp; RESCUE</b>                |                              |            |              |             |                 |            |
| Basket Mount Adapter (Ferno RE 1125)***** | N/A                          | N/A        | N/A          | 850-101     | 850-101         | N/A        |
| Stretcher Mount Adapter (Ferno #9)        | N/A                          | N/A        | N/A          | 850-100     | 850-100         | N/A        |
| Stretcher - Ferno #9                      | N/A                          | N/A        | N/A          | 015-3204ARG | 015-3204ARG     | N/A        |

\* Factory Installed Option. \*\*Requires 25" Tires. \*\*\* Requires Front Bearing Extensions. \*\*\*\*Standard and Super Tracks require the use of ARGO AT189 24x10.00-8NHS Tires. \*\*\*\*\* Requires Stretcher Mount Adapter (850-100)

**COMFORT**



**Convertible Top**

Protects occupants from the weather. Has removable side and rear doors and stores folded down with boot cover. Requires fold-down windshield. (Optional roll bar light cannot be used with full convertible top).



**Convertible Half-Top**

Protects operator and side passenger from the elements. Features removable side and rear doors, allowing easy access to the rear cargo compartment area. Requires fold-down windshield.



**Suspension Seats**

3-way adjustable suspension seats for increased ride comfort.



**Windshield**

Scratch-resistant acrylic in an aluminum frame, features mounting hole for the optional windshield wiper accessory.

**Windshield Wiper**

Complete with everything needed to assemble and fit to your ARGO windshield. The wiper motor mounts quickly and easily, requiring no drilling on newer style predrilled windshields.

**CONVENIENCE**

**Auto Chain Lubrication System**

(Not shown) Reduces maintenance requirements. Increases chain life.

**Cargo Tie-Down Rings**

(Not shown) Six rings mount around the rear compartment (four rings for 6x6 models).



**Entry Step**

Convenient and easy access to the vehicle. Can be mounted in four different positions.



**Gas Can Holder**

Adjustable gas can holder mounted at the rear of the vehicle.



**Gun Rack (Sure Grip)**

Provides convenient and safe storage. Absorbs the shock of rough terrain and keeps your sights accurate.



**Handrails**

Tubular steel rails mount around the body, providing hand-hold points for rear passengers.



**Helicopter Lift Kit**

Axle mounted at 4 corners, quick release point for helicopter sling connection.



**Outboard Motor Bracket**

This one-piece bracket mounts at the bumper and onto the trailer hitch bracket. Mounting location is slightly off-center and accepts an outboard motor of up to 9.9 hp for increased propulsion in water.



**WARN Power Winch**

For vehicle recovery or to raise and lower plow blade. 3,500 lb. (1,588 kg) capacity, reversing with free wheeling out, 40' (12 m) cable with 30' (9 m) nylon strap. Safety switch disables winch unless ignition is on.



**Rear Receiver Winch Accessory**

Mounts into the 8x8 trailer hitch receiver, extending the versatility of your winch. Includes instructions and wire harness for installation.

**Wireless Winch Remote Control**

Wireless and compact, this unit can control remote use of winch from a location of up to 50' (15.24 m) for added convenience and versatility.



**Snowplow Kit**

81" (2 m) wide steel blade features multi-angle positions. Attaches to front bearing extension housings. A snowplow will maximize the utilization of your ARGO. Note: Requires power winch.



**Tire Holder**

Easy to install. Convenient spare tire holder is mounted to the rear of the vehicle.



**Tow Hook**

Easy to install. Allows winch cables or towing straps to be attached to your ARGO.



**Trailers (Amphibious)**

4-wheel 600 lb. (275kg) load capacity. 8-wheel 1,400 lb. (635kg) load capacity. Complete with 24" (610 mm) or 25" (635 mm) tires. Contact Retailer for more information.

**Universal Mounting System**

(See photo on page 2) Quick change, up to 750 lb. (340 kg) capacity, universal mount. Bolts directly to main chassis offering a secure structure for third party equipment.



**Utility Bracket**

Two "rugged gear" utility hooks and barrel holder. Safely secures objects such as shovels, fishing rods, paddles, etc. to the outside or inside of your ARGO.



**Utility Rack**

Two formed flatbar brackets, four "rugged gear" utility hooks, and mounting hardware. Allows two rifles or shotguns to be carried on the inside of your ARGO.



**Utility Storage Pouch**

Dome snaps attach to backrest for convenient storage space. Ideal for keeping first aid kits, tools, electronics and other items safe, clean and easily accessible.

**PROTECTION**

**Battery Shut-Off**

(Not shown) Positive battery cable interrupt located under the driver seat. Disconnects battery to prevent accidental battery drain.

**Bedliner**

(Photo on page 10) Protect your cargo storage space. Simple installation, removable and easy to clean.



**Bilge Pump**

Highly recommended for amphibious use of any ARGO. Operated by a dash mounted switch, the pump quickly removes water from the lower body.

**Brake Cooling Fan (Not shown)**

105 CFM fan directing cool air to the service brakes.

**Brake/Tail Lights**

Complete wire harness and all necessary mounting hardware.



**Brushguard**

Installation of mounting assembly or power winch is required. The 8x8 700HD/750HDI Brushguard features an integrated tow hook and mounting tabs for fog light kit.

**Brushguard for ROPS (Not shown)**

Principally designed to be installed with the ROPS.

**Fog Lights**

Provides added illumination in poor visibility due to rain, fog, dust or snow.



**Hood Fan (Not shown)**

Extracts hot air from engine compartment (in extreme heat conditions).

**Mudflaps (Not shown)**

Deflects snow and mud. Stay dry and clean when navigating through challenging terrain. Easy to install.



**Rollover Protective Structure**

(ROPS) Powder-coated tubular steel frame provides rollover protection and seat belts for driver and front seat passenger.



**Roof**

Provides shelter from the elements. Requires ROPS.

**ROPS & Rear Bench Seat**

(Not shown) Protects driver, front seat passenger, and two rear passengers. Includes rear bench and four seat belts.



**Roll Bar**

Protects driver and passenger. Comes with two seat belts and fits all 6x6 models. (Reduces seating capacity to 2).

**Roll Bar Lights**

2 rubber mounted, shock resistant 3"x5" (76 mm x 127 mm) weather-proof lamps, easily installed on your existing roll bar.



**Skid Plate**

Formed from black high-density polyethylene, the skid plate protects the lower body from rocks and debris.



**Storage Protective Covers**

Fits all production models without roll bar or ROPS.

**TRACKS**



**Rubber Tracks**

18" (457 mm) width provides optimum floatation and minimal ground pressure. Exceptional traction. Lightweight, durable construction and low rolling resistance ensures smooth, quiet operation in difficult terrain conditions.

**HD Rubber Tracks (Not shown)** Centaur and XT models only! These tracks feature UHMW-PE guides, aluminum backing washers, and HD hinge lacing.



**Standard Tracks**

13" (330 mm) wide thermoplastic rubber segments go over 24" (610 mm) ARGO tires, reducing ground pressure for travel over snow or flooded areas.



**Super Tracks**

18" (457 mm) wide thermoplastic rubber segments go over 24" (610 mm) ARGO tires, to provide optimum floatation over deep snow.

**Ice Cleats for Tracks (Not shown)** Steel cleats increase traction on ice and hard-packed snow.

**SEARCH & RESCUE**



**ARGO Mount Adapter Solutions** Accepts Ferno RE1125 or Ferno #9. Fits ARGO 8x8 700 HD and 750 HDI. Mount adapter can be adjusted for repositioning of front bench seating. Note: Front bench backrest is folded down when basket or stretcher are deployed.


Please refer to page 10 for a complete overview of accessories.

For information on ARGO 8x8 XTD & XTI accessories visit [www.ARGOutv.com/catalog/XT-models](http://www.ARGOutv.com/catalog/XT-models).

THE MOST VERSATILE OFF-ROAD VEHICLES IN THE WORLD

| Vehicle                       | 6 X 6 FRONTIER 580   | 6 X 6 650 HD                        | 8 X 8 FRONTIER EFI     | 8 X 8 700 HD  | 8 X 8 750 EFI          | 8 X 8 750 HDi            | 8 X 8 750 HDi SE   | 8 X 8 XTI  |                          |
|-------------------------------|--|-------------------------------------|------------------------|---|------------------------|--------------------------|--------------------|--|--------------------------|
| Engine                        | Briggs & Stratton Vanguard   |                                     | Kohler Command Pro     | Kohler Aegis LH 690   | Kohler Aegis LH 775    |                          |                    |  |                          |
| Engine Warranty               | 2 year   |                                     |                        | 3 year  |                        |                          |                    |  |                          |
| Type                          | 4 cycle OHV V-Twin gasoline engine, electronic ignition, full pressure lubrication and oil filter  |                                     |                        |   |                        |                          |                    |  |                          |
| Horsepower                    | 18   | 23                                  | 24                     | 30  |                        |                          |                    |  |                          |
| Displacement                  | 570cc  | 627cc                               | 747cc                  | 674cc   | 748cc                  |                          |                    |  |                          |
| Cooling                       | Air Cooled   |                                     |                        | Liquid Cooled   |                        |                          |                    |  |                          |
| Starting                      | Electric/Recoil  |                                     |                        | Electric  |                        |                          |                    |  |                          |
| Brakes                        | Hydraulic  |                                     |                        |   |                        |                          |                    |  |                          |
| Steering                      | One-piece, ergonomic handlebar   |                                     |                        |   |                        |                          |                    | Multi-position, one-piece, ergonomic handlebar             |                          |
|                               | Steering control features hand brake. For safety and ease of handling, the ARGO steering transmission provides continuous torque to all axles.   |                                     |                        |   |                        |                          |                    |  |                          |
| Controls                      | Right-hand twist grip throttle. Light switch and ignition switch. (ARGO 6x6 Frontier 580, 6x6 650HD and 8x8 700HD also feature a dash-mounted choke control.)                                      |                                     |                        |   |                        |                          |                    |  |                          |
| Clutch                        | Belt-driven, Continuously Variable Transmission (CVT) maximizes engine power to the transmission.  |                                     |                        |   |                        |                          |                    |  |                          |
| Transmission                  | Planetary <sup>9</sup>   | ADMIRAL <sup>8</sup>                | Planetary <sup>9</sup> | ADMIRAL <sup>8</sup>  | Planetary <sup>9</sup> | ADMIRAL <sup>8</sup>     |                    |  |                          |
| Drive System                  | Roller chains drive machined sprockets that are spline-fit onto 1/4" diameter axles and are protected with triple-sealed greaseable bearings.  |                                     |                        |   |                        |                          |                    |  |                          |
| Frame                         | Formed steel channel construction, welded for high strength and durability. Polyester powder-coated for lasting protection.  |                                     |                        |   |                        |                          |                    |  |                          |
| Body                          | Vacuum formed High Molecular Weight Polyethylene   |                                     |                        |   |                        |                          |                    |  |                          |
| Full Skid Plate               | Optional   | Standard                            | Optional               | Standard  |                        |                          |                    |  |                          |
| Load Capacity <sup>1</sup>    | On Land  | 700 lb. (317 kg) total <sup>2</sup> |                        | 1,000 lb. (454 kg) total  |                        | 1,150 lb. (521 kg) total |                    | 1,000 lb. (454 kg) total                                   | 1,500 lb. (680 kg) total |
|                               | Rear Compartment   | 140 lb. (63 kg) max.                |                        |   |                        |                          |                    |  |                          |
|                               | On Water   | 500 lb. (227 kg) total              |                        | 900 lb. (408 kg) total  |                        | 1,000 lb. (454 kg) total |                    | 850 lb. (386 kg) total                                     | 1,000 lb. (454 kg) total |
| Towing Capacity <sup>3</sup>  | 1,200 lb. (545 kg)   | 1,400 lb. (635 kg)                  |                        | 1,800 lb. (818 kg)  |                        |                          |                    | 2,000 lb. (907 kg)   |                          |
| Seating Capacity <sup>4</sup> | On Land  | 4 persons                           |                        |   | 6 persons              |                          |                    | 2 persons - 4 optional                                     |                          |
|                               | On Water   | 2 persons                           |                        |   | 4 persons              |                          |                    | 2 persons  |                          |
| Fuel Capacity                 | 7.1 US gallons (27 litres) See-through polyethylene fuel tank. 8 hrs. operation <sup>5</sup>   |                                     |                        |   |                        |                          |                    | 9.5 U.S. gal. (36 litres) 8-10 hrs. operation <sup>5</sup> |                          |
| Speed <sup>6</sup>            | On Land  | 22 mph (35 km per hour)             |                        | 19 mph (30 km per hour)   |                        | 20 mph (32 km per hour)  |                    | 17 mph (27 km per hour)                                    |                          |
|                               | On Water <sup>7</sup>  | 3 mph (5 km per hour)               |                        |   |                        |                          |                    |  |                          |
| Shipping Weight               | 850 lb. (386 kg)   | 900 lb. (408 kg)                    | 1,050 lb. (476 kg)     | 1,250 lb. (570 kg)  | 1,260 lb. (571 kg)     | 1,410 lb. (641 kg)       | 1,600 lb. (725 kg) |  |                          |
| Dimensions (L X W X H)        | (inch)   | 95 x 58 x 45.8                      |                        | 119 x 58 x 46.5   |                        | 119 x 60 x 46            |                    | 114 x 65 x 49  |                          |
|                               | (mm)   | 2,413 x 1,473 x 1,163               |                        | 3,020 x 1,473 x 1,180   |                        | 3,020 x 1,525 x 1,170    |                    | 2,896 x 1,651 x 1,245                                      |                          |
| Axle Bearing Extensions       | Front - Optional   |                                     |                        |   | Front - Standard       |                          |                    |  |                          |
|                               | Rear - N/A   | Rear - Standard                     | Rear - Optional        | Rear - Standard   |                        |                          |                    |  |                          |
| Instrumentation               | LCD Digital Gauge Cluster: Speedometer, Odometer, Voltmeter, Hour Meter, Tachometer, Low Oil Pressure and Parking Brake Reminder Lights (ARGO 8x8 FRONTIER EFI also features a Check Engine Light) |                                     |                        | LCD Digital Gauge Cluster: Speedometer, Odometer, Voltmeter, Hour Meter, Tachometer, Engine Coolant Temperature, Low Oil Pressure and Parking Brake Reminder Lights (ARGO 8x8 750 HDi & 750 HDi SE also feature a Check Engine Light) |                        |                          |                    | Analog Gauge Cluster (see Web site for details)            |                          |
| Tires                         | ARGO AT189 24x10.00-8NHS   |                                     |                        | ARGO AT189 25x12.00-9 NHS   |                        |                          |                    |  |                          |
| Ground Pressure               | 1.7 psi (13.5 kPa) using tires 0.67 psi (4.6 kPa) using tracks   |                                     |                        |   |                        |                          |                    |  |                          |
| Ground Clearance              | Tires  | 9.5" (240 mm)                       | 9" (230 mm)            | 9.5" (240 mm)   |                        |                          | 9" (230 mm)        |  |                          |
|                               | Tracks   | 10.5" (265 mm)                      | 10" (255 mm)           | 10.5" (265 mm)  | 11" (279 mm)           |                          |                    | 10" (255 mm)   |                          |
| Operating Conditions          | All weather, all terrain, -40°F to +104°F (-40°C to +40°C)   |                                     |                        |   |                        |                          |                    |  |                          |

**AVAILABLE ARGO COLORS** \*Colors in this brochure are reproduced with great care, but may vary slightly from actual ARGO vehicle colors. ARGO 8x8 XTI is only available in Tundra, Yellow, Red, Black and INFINITY Camo™.



**COLOR OPTIONS FOR ALL STEEL PARTS**

Ultra Chrome and other colors or custom coatings available on request.

Appearance and specifications subject to change without notice.



220 Bergey Court, New Hamburg ON, Canada N3A 2J5  
 Toll Free: **1-877-274-6288**  
 Tel: (519) 662-4000  
 Fax: (519) 662-2421  
**www.ARGOutv.com**



- Capacity includes occupants, cargo, outboard motor and fuel, and installed accessories. Max. outboard motor size 7.4 kW (9.9 hp).
- Total payload is 700 lb. (318 kg) with max. 140 lb. (64 kg) allocated to rear compartment.
- Towing capacity is approximate and depends on type of surface, load on vehicle as well as incline. Max Hitch Tongue Load (when equipped with hitch) 100 lb. (45 kg) for all models
- Subject to rear compartment load capacity limitations.
- Fuel consumption depends on load and operating conditions.
- All speeds are approximate and depend on conditions.
- Always wear approved Personal Floatation Device (PFD) when operating in water or on ice.
- ADMIRAL triple differential steering transmission with dedicated Hi and Low selector; Forward, Neutral, Reverse.
- Planetary differential transmission with High and Low range; Forward, Neutral, Reverse



Some vehicle applications shown are for demonstration purposes, originating from third parties and not available from ARGO. In all cases vehicle load limits have been considered. For safety, always wear approved helmets and eye protection. When operating in water, always wear approved Personal Floatation Devices. Always remain seated while in the ARGO. When equipped with tracks, XT models are not fully amphibious, however water crossing is possible with a fording depth of 26" (660 mm). 678-003 • Printed in Canada 8/2014

**Safety!** treadlightly!  
 ...always in Season!  
 ON LAND AND WATER



Proud to be located in  
 Canada's Technology Triangle